

Zone 7 Water Agency 2011 Annual Consumer Confidence Report

Zone 7 Water Agency provides treated drinking water to four major water retailers, along with a small number of direct customers, serving approximately 220,000 people in Pleasanton, Livermore, Dublin and the Dougherty Valley area of San Ramon. We also provide untreated water to local agricultural users and provide flood protection to 425 square miles of eastern Alameda County. All water supplied during 2011 met the regulatory standards set by the state and federal governments and, in almost all cases, the quality was significantly better than required.



Source Water Assessment

Our drinking water sources include local and imported surface water as well as groundwater. Although most water requires some treatment before use, protecting our source water is an important part of providing safe drinking water to the public.

Zone 7 completed Drinking Water Source Assessment and Protection Program (DWSAP) reports for all its sources by December 2002 as required by the California Department of Public Health (CDPH). Additionally in 2008, two more DWSAP reports were completed for Zone 7's newly constructed Chain of Lakes wells.

Most of the contaminants detected in Zone 7's surface water supply from the State Water Project (SWP) are introduced as the water is conveyed through the Delta and come from the Sacramento and San Joaquin watershed or the Delta itself. These contaminants can come from agricultural drainage, wastewater-treatment plant discharges, urban runoff, recreational activities, and seawater intrusion. After leaving the Delta, water is transported to Zone 7 via the South Bay Agueduct (SBA). SBA water quality may also be vulnerable to pollution from local cattle grazing, wildlife activities, and recreational activities in the watersheds of the Bethany and Del Valle reservoirs. The latest sanitary survey for SWP water was completed in June 2007. The updated fiveyear survey is currently in draft form and is undergoing a review process by SWP contractors and CDPH staff. This update will include several new evaluations on the system environment, water quality, and the key water quality vulnerabilities of the Delta and the SWP. The final report is expected to be submitted to CDPH by June 29, 2012.

Groundwater sources in general can be vulnerable to releases from chemical/petroleum pipelines, leaking tanks (i.e.: at gas stations or dry cleaners), groundwater contamination plumes, machine shops, photo processing/printing facilities, septic tanks, and wastewater-collection systems. Although any one of these activities has the potential to contaminate groundwater supplies, no organic contaminants from these activities have ever been found in Zone 7 supply wells.

Following completion of the DWSAP reports, Zone 7 and two other SBA Contractors obtained a state Proposition 13 grant in 2003 to develop a Watershed Management Program for the SBA system. The SBA Watershed Protection Program Plan was completed in January 2007. It includes establishment of an ongoing forum for watershed stakeholders to discuss management issues through the Watershed Workgroup, development of a functioning Watershed Management Program, development of a longterm strategy for SBA system watershed management, and development of public outreach materials regarding watershed protection and Best Management Practices.

Copies of any public outreach materials, DWSAP reports or sanitary surveys for SWP water are available by calling Gurpal Deol at 925-447-0533.

Terms Used

MAXIMUM CONTAMINANT LEVEL (MCL)

The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the Public Health Goals or Maximum Contaminant Level Goals as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

MAXIMUM RESIDUAL DISINFECTANT LEVEL (MRDL)

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MAXIMUM RESIDUAL DISINFECTANT LEVEL GOAL (MRDLG)

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

PUBLIC HEALTH GOAL (PHG)

The level of a primary contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

PRIMARY DRINKING WATER STANDARD (PDWS)

MCLs and MRDLs for contaminants that affect health, along with their monitoring and reporting requirements, and water-treatment requirements.

TREATMENT TECHNIOUE (TT)

A required process intended to reduce the level of a contaminant in drinking water.

Commitment to Water Quality

Control strategies for seasonal taste-and-odor control caused by algal growth in SBA water include periodic copper sulfate application to source water by the Department of Water Resources and use of Powdered Activated Carbon at both conventional treatment plants. A more advanced and preferred taste-and-odor control method is conventional ozonation of raw water at all three surface-water treatment plants. The project schedule is pending per funding availability.

The Mocho Groundwater Demineralization Plant went into operation in late summer 2009 to slow down the buildup of salts and minerals in our groundwater basin and reduce the hardness of groundwater delivered primarily to the western side of Zone 7's service area. In 2011, approximately 1,800 acre-feet (nearly 600 million gallons) of groundwater was demineralized and approximately 2,250 tons of salt was exported as brine to San Francisco Bay.

What's in Your Water?

The table at the right shows the average level and range of each detected regulated contaminant. Detected secondary standards, and additional parameters are also listed.

There are some issues we know our customers may be particularly concerned about, including:

TURBIDITY is a measure of the cloudiness of the water. We are required to monitor it because it is a good indicator of the effectiveness of the filtration system for surface-water treatment. Note that turbidity does not measure air bubbles, only particles.

TOC (Total Organic Carbon) has no health effects. However, TOC contributes to the formation of disinfection byproducts. These byproducts include THMs (trihalomethanes) and HAAs (haloacetic acids). Drinking water containing these byproducts in excess of the MCL may lead to adverse health effects, including liver or kidney problems, nervous-system effects, and increased cancer risk. Regulatory TOCremoval requirements are applicable to conventional water-treatment plants only. Treatment operation is optimized for maximum TOC removal and Zone 7's THM and HAA levels are well below MCLs. Zone 7 TOC removal typically exceeds regulatory requirements.

NITRATE in drinking water at levels above 45 mg/L is a health risk for infants less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

Nitrate levels in Zone 7's surface water supplies are typically very low (less than 5 mg/L) as compared to groundwater, but both sources meet all standards.

HARDNESS is caused by naturally-occurring minerals such as calcium and magnesium. Hard water does not pose a health risk, and is not covered by state or federal drinking water regulations. Groundwater is typically harder than surface water, but it is just as safe.

SODIUM is an essential nutrient that is found naturally in drinking water. Zone 7 also adds sodium hypochlorite as part of its disinfection process and sodium hydroxide for corrosion control. Sodium is not regulated because sodium levels in drinking water are usually low and are not likely to cause adverse health effects—even for those watching their salt intake. However, Zone 7 monitors sodium levels because some consumers are concerned about their sodium levels and may be monitoring their diets.

CONTAMINANT

Total coliform bacteria

Total trihalomethanes (TTHMs

Haloacetic acids (five) (HAAs)

Chloramines as Chlorine,

CONTAMINANT

Turbidity

Total Organic Carbon (n Inorganic Chemica

Barium (ug/L) Chromium total (ug/ Selenium (ug/L) Fluoride (mg/L) Nitrate (as NO3) (mg/

Color (Units) Odor (TON - Threshold Odor Conductivity (µS/cm Chloride (mg/L) Sulfate (mg/L)

Total Dissolved Solids (r Turbidity (NTU)

Alkalinity as calcium carbon Boron (ug/L) Total Hardness as calcium carbo Calcium (mg/L) Magnesium (mg/L Potassium (mg/L) Sodium (mg/L) pH (Units) Silica (mg/L)

JANUARY-DECEMBER 2011 WATER QUALITY DATA - CONTAMINANTS DETECTED IN WATER SUPPLY

REGULATED CONTAMINANTS WITH PRIMARY DRINKING WATER STANDARDS, established by the State of California Department of Public Health

	MCL	DLR	PHG (MCLG) [MRDLG]					
2	More than 5 % of monthly		(0)	Highest Percentage Of Monthly Positive Samples				
1	samples are positive			0%				
ls), ug/L	80	0.5*	NA	Highest Running Annual Average	Range of Individual Samples			
		0.5	INA	24	ND - 34			
s), ug/L	60	1*	NA	16	ND - 27			
ng/L	Maximum Residual Disinfectant		{4}	Running Annual Average (RAA)	Range of Monthly Average Chloramines			
	Level (MRDL) = 4.0			2.2	2.1 - 2.4			

Everyday Equivalents

One milligram per liter (mg/L) = a single penny in \$10,000 One microgram per liter (ug/L) = a single penny in \$10,000,000

					v	VATER SUP	PLY SOURCE	S							
				DEL V WATER TREAT	/ALLE IMENT PLANT	PATTER: WATER TREA	SON PASS TMENT PLANT	МОСНО И	VELLFIELD	STONERI	DGE WELL	HOPYARD	WELLFIELD	CHAIN OF LAK	ES WELLFIELD
	TT = 1 NTU Maximum		NA	Highest Level Fo	ound = 0.17 NTU	Highest Level Fo	ound = 0.14 NTU	Not Ap	plicable	Not Ap	plicable	Not Ap	plicable	Not Ap	plicable
	$TT = 95\% \text{ of}$ samples $\leq 0.3 \text{ NTU}$		NA	% of samples ≤	a 0.3 NTU = 100	% of samples ≤	\leq 0.3 NTU = 100	Not Ap	plicable	Not Ap	plicable	Not Ap	plicable	Not Ap	plicable
ng/L)	TT = Quarterly RAA Removal Ratio ≥ 1.0		NA	Lowest Quarterly	r RAA Ratio = 1.5	Lowest Quarterl	y RAA Ratio = 1.7	Not Ap	plicable	Not Ap	plicable	Not Ap	plicable	Not Ap	plicable
ıls				Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
	1000	100	2000	ND	ND	ND	ND	160	140 - 190	250	230 - 270	150	130 - 190	270	240 - 300
′L)	50	10	(100)	ND	ND	ND	ND	ND	ND	10	ND - 11	ND	ND	ND	ND - 10
	50	5	30	ND	ND	ND	ND	ND	ND - 8	ND	ND	6	ND - 7	ND	ND
	2	0.1	1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1 - 0.2	0.1	0.1
/L)	45	2	45	ND	ND - 3	ND	ND	19	12 - 24	19	16 - 24	15	15 - 16	18	14 - 20
REGL	ILATED CONTAMI	NANTS V	VITH SEC	ONDARY DF		ATER STAN	DARDS, esta	blished by	y the State o	of Californi	a Departm	ent of Publi	c Health		
	15			0	0	1	0 - 2.5	0	0	0	0	0	0	0	0
Number)	3	1		1	0 - 1	0	0 - 1	0	0 - 1	0	0	0	0	0	0
ı)	1600			333	219 - 450	253	216 - 280	1146	951 - 1430	747	666 - 866	945	793 - 1030	727	629 - 816
	500			39	29 - 58	36	32 - 42	123	91 - 178	62	47 - 86	78	57 - 89	62	49 - 74
	500	0.5		20	11 - 30	13	10 - 20	79	59 - 122	38	34 - 44	67	44 - 79	38	32 - 43
ng/L)	1000			190	123 - 269	145	123 - 161	706	572 - 886	457	400 - 557	574	489 - 618	438	386 - 504
	5			NA	NA	NA	NA	0.07	0.05 - 0.11	0.07	0.05 - 0.12	0.18	0.05 - 0.44	0.11	0.05 - 0.33
· · · · · · · · · · · · · · · · · · ·	Additional Param	eters - I	ncluded	to assist cor	nsumers in	making he	alth or econ	omic deci	sions, i.e. lo	w sodium	diet, water	softening,	etc.		
ate (mg/L)				81	40 - 144	48	36 - 65	347	297 - 436	254	234 - 279	325	285 - 348	243	214 - 268
				120	ND - 280	ND	ND - 120	910	580 - 1560	450	320 - 590	490	340 - 600	340	260 - 460
onate (mg/L)				89	42 - 159	50	39 - 64	462	402 - 595	135	125 - 153	394	364 - 410	325	278 - 369
				19	10 - 35	12	10 - 14	90	69 - 114	54	50 - 61	80	74 - 84	61	49 - 76
)				10	4 - 18	5	4 - 7	58	44 - 75	41	35 - 48	58	43 - 81	42	35 - 49
				1.5	1.1 - 2.0	1.2	1.1 - 1.3	2.2	1.9 - 2.7	1.8	1.7 - 1.9	1.8	1.7 - 1.8	1.6	1.4 - 1.7
				35	26 - 46	30	25 - 34	80	52 - 129	49	43 - 59	63	39 - 79	31	23 - 38
				8.6	8.1 - 9.0	8.7	8.6 - 8.8	7.6	7.2 - 7.8	7.9	7.6 - 8.0	7.8	7.6 - 8.1	7.6	7.4 - 7.9
				10	8 - 11	10	9 - 12	25	20 - 28	26	26	24	24	24	23 - 24

* = TTHMs each component DLR is 0.5 ug/L. HAAs each component DLR is 1 ug/L except Monochloroacetic acid that has DLR of 2 ug/L. Abbreviations/Units: MCL = Maximum Contaminant Level, DLR = Detection Limit for Purposes of Reporting (CDPH established), PHG = Public Health Goal, MCLG = Maximum Contaminant Level Goal, MRDLG = Maximum Residual Disinfectant Level Goal, NA = Not Applicable TT = Treatment Technique, NTU = Nephelometric Turbidity Unit, $\mu g/L$ = Micrograms per liter, mg/L = Milligrams per liter, $\mu S/cm$ = Microsiemens per centimeter, ND = Monitored for but not detected at or above DLR. ND or value in range column indicates more than one analysis was performed.

WHERE DO CONTAMINANTS COME FROM?

The sources of drinking water (both tap and bottled water), include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and it can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

MICROBIAL CONTAMINANTS, such as viruses and bacteria that may come from wastewater-treatment plants, septic systems, agricultural-livestock operations, and wildlife.

INORGANIC CONTAMINANTS, such as salts and metals, that can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

PESTICIDES AND HERBICIDES, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

ORGANIC CHEMICAL CONTAMINANTS, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production. They can also come from gas stations, urban stormwater runoff, and septic systems.

RADIOACTIVE CONTAMINANTS, which can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency and the state Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Regulations also establish limits for contaminants in bottled water that must provide the same protection for public health. More information is available on the EPA's website, www.epa.gov/safewater/.

MAJOR SOURCES OF DETECTED CONTAMINANTS

Major sources of regulated contaminants detected in Zone 7 water supply are listed below:

TURBIDITY Soil runoff.

TOTAL ORGANIC CARBON Various natural and man-made sources.

BARIUM Erosion of natural deposits; discharge of drilling wastes; and discharge from metal refineries.

CHROMIUM Erosion of natural deposits; discharge from steel and pulp mills and chrome plating.

SELENIUM Erosion of natural deposits; discharge from petroleum, glass, and metal refineries; discharge from mines and chemical manufacturers; and runoff from livestock lots (feed additive).

FLUORIDE Erosion of natural deposits; water additive which promotes strong teeth; and discharge from fertilizer and aluminum factories.

NITRATE Erosion of natural deposits; runoff from fertilizer use; and leaching from septic tanks and sewage.

Contaminants Not Detected in Zone 7's Water Supply

None of the primary standards listed below were detected at or above Detection Limits for Purposes of Reporting (DLR) during 2011 monitoring.

PRIMARY STANDARDS

Organic Chemicals

Volatile Organ	ic Chemicals (VOCs)	Synthetic Organic Chemicals (SOCs)			
Benzene Carbon Tetrachloride 1,2-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethylene cis-1,2-Dichloroethylene trans-1,2-Dichloroethylene Dichloromethane 1,2-Dichloropropane 1,3-Dichloropropene Ethylbenzene Methyl-tert-butyl ether (MTBE)	Monochlorobenzene Styrene 1,1,2,2-Tetrachloroethane Tetrachloroethylene Toluene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichlorofluoromethane 1,1,2-Trichloro-1,2,2-Trifluoroethane Vinyl Chloride Xylenes	Alachlor Atrazine Bentazon Benzo(a)pyrene Carbofuran Chlordane 2,4-D Dalapon Dibromochloropropane (DBCP) Di(2-ethylhexyl)adipate Di(2-ethylhexyl)phthalate Dinoseb Diquat Endothall Endothall Endrin Ethylene Dibromide (EDB) Glyphosate	Heptachlor Heptachlor Epoxide Hexachlorobenzene Hexachlorocyclopentadiene Lindane Methoxychlor Molinate Oxamyl Pentachlorophenol Picloram Polychlorinated Biphenyls Simazine Thiobencarb Toxaphene 2,3,7,8-TCDD (Dioxin) 2,4,5-TP (Silvex)		
Inorgan	ic Chemicals	Radionuclides*			
Aluminum Antimony Arsenic Asbestos Beryllium Cadmium	Cyanide Mercury Nickel Nitrite (as nitrogen) Perchlorate Thallium	Radium-226, Radium-228, Uranium Gross Alpha particle activity	Beta/photon emitters Tritium, Strontium-90		

* Based upon low vunerability, CDPH granted reduced monitoring for radionuclides for current supply sources on January 25, 2008. Only gross alpha particle activity monitoring is required once every nine years. Latest gross alpha monitoring conducted in 2008.

Note: Chain of Lakes initial quarterly monitoring was completed from June 2010 to March 2011 that included all primary standards and gross alpha.

Lead and Copper Rule

The latest monitoring, conducted in 2009, is summarized below:

Contaminant	No. of Samples Collected	90th Percentile Level Detected	Number of Sites Exceeding AL	Action Level (AL)	PHG					
June 25, 2009 Data Summary										
Lead (ug/L)	17	4	1	15	0.2					
Copper (ug/L)	17	220	None	1300	300					
December 17, 2009 Data Summary										
Lead (ug/L)	24	4	None	15	0.2					
Copper (ug/L)	24	270	None	1300	300					

Regulatory compliance for lead and copper is achieved if 90 percent (90th percentile) of samples have concentrations below action levels.

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and/or flush your tap from 30 seconds to 2 minutes before using tap water. Additional information is available from the USEPA Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/safewater/lead.

About Water Treatment

State Water Project water conveyed through the Delta, and then through the South Bay Aqueduct, makes up the bulk of our surface-water supplies. Zone 7 has three facilities for the treatment of surface water: the Patterson Pass Conventional, the Patterson Pass Ultrafiltration, and the Del Valle water treatment plants. Because of the Del Valle plant's physical location, its water supply source can be from the SBA, Del Valle Reservoir, or a blend of the two. The Patterson Pass plants receive water only from the SBA.

Zone 7 applies a multi-barrier approach to treat and remove pollutants from surface water, and the water is then disinfected using chloramination to minimize microbial risks. Groundwater is simply chloraminated to maintain a consistent residual disinfectant throughout the distribution system.

Educational Information

- Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. Environmental Protection Agency's (USEPA's) Safe Drinking Water Hotline (1-800-426-4791).
- Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Our Primary Water Sources:

Imported Surface Water

More than three-quarters of our water supply originates as Sierra Nevada snowmelt and is conveyed by the State Water Project via the Delta and the South Bay Aqueduct*.

Local Surface Water

This is comprised of local rain runoff stored in Del Valle Reservoir.

Local Groundwater

This supply is pumped by Zone 7 from the aquifer that underlies the Livermore-Amador Valley; water in the aquifer comes from local rainfall and from the State Water Project.

* In wet years, we store surplus State Water Project supplies in local and offsite groundwater basins for use when needed, and for reliability during droughts.



Zone 7 Water Agency 100 North Canyons Parkway Livermore, CA 94551 925.454.5000 www.zone7water.com

Este Informe Contiene Información Muy Importante Sobre Su Agua Potable. Tradúzcalo O Hable Con Alguien Que Lo Entienda Bien. (This Report Contains Important Information About Your Drinking Water. Translate it, or speak with someone who understands it.)