

Zone 7 Water Agency 2013 Annual Consumer Confidence Report

Zone 7 Water Agency provides treated drinking water to four major water retailers, along with a small number of direct customers, serving approximately 220,000 people in Pleasanton, Livermore, Dublin and the Dougherty Valley area of San Ramon. We also provide untreated water to local agricultural users and provide flood protection to 425 square miles of eastern Alameda County. All water supplied during 2013 met the regulatory standards set by the state and federal governments and, in almost all cases, the quality was significantly better than required.



Contaminants Not Detected in Zone 7's Water Supply

None of the primary standards listed below were detected at or above Detection Limits for Purposes of Reporting (DLR) during 2013 monitoring.

PRIMARY STANDARDS: Contaminants Not Detected in Zone 7 Water Supply

Organic Chemicals

Volatile Organ	ic Chemicals (VOCs)	Synthetic Organic Chemicals (SOCs)*					
Benzene Carbon Tetrachloride 1,2-Dichlorobenzene 1,4-Dichlorobenzene 1,1-Dichloroethane 1,2-Dichloroethylene cis-1,2-Dichloroethylene trans-1,2-Dichloroethylene Dichloromethane 1,2-Dichloropropane 1,3-Dichloropropane Ethylbenzene Methyl-tert-butyl ether (MTBE)	Monochlorobenzene Styrene 1,1,2,2-Tetrachloroethane Tetrachloroethylene Toluene 1,2,4-Trichlorobenzene 1,1,1-Trichloroethane 1,1,2-Trichloroethane Trichloroethylene Trichlorofluoromethane 1,1,2-Trichloro-1,2,2-Trifluoroethane Vinyl Chloride Xylenes	Alachlor Atrazine Bentazon Benzo(a)pyrene Carbofuran Chlordane 2,4-D Dalapon Dibromochloropropane (DBCP) Di(2-ethylhexyl)adipate Di(2-ethylhexyl)phthalate Dinoseb Diquat Endothall Endothall Endothall Endylene Dibromide (EDB) Glyphosate	Heptachlor Heptachlor Epoxide Hexachlorobenzene Hexachlorocyclopentadiene Lindane Methoxychlor Molinate Oxamyl Pentachlorophenol Picloram Polychlorinated Biphenyls Simazine Thiobencarb Toxaphene 2,3,7,8-TCDD (Dioxin) 2,4,5-TP (Silvex)				
Inorgani	ic Chemicals	Radion	uclides**				
Aluminum Antimony Asbestos* Beryllium Cadmium	Cyanide* Mercury Nickel Nitrite (as nitrogen) Perchlorate Thallium	Radium-226, Radium-228 Gross Alpha particle activity	Beta/photon emitters Tritium, Strontium-90				

* Latest monitoring on SOCs except DBCP & EDB was conducted in 2011.

** Based upon low vunerability, CDPH granted reduced monitoring for radionuclides for current supply sources on January 25, 2008. Only gross alpha particle activity monitoring is required once every nine years. Latest gross alpha monitoring conducted in 2008. Uranium monitoring is conducted for supplemental information as in-house capabilities are available.

Lead and Copper Rule

This rule is applicable to Zone 7's direct customers only. Per the CDPH-approval Compliance Monitoring is conducted once every three years. Data from June 14, 2012 monitoring is summarized below:

Contaminant	No. of Samples Collected	90th Percentile Level Detected	Number of Sites Exceeding AL	Action Level (AL)	PHG	
Lead (ug/L)	13	ND	None	15	0.2	
Copper (ug/L)	13	160	None	1300	300	

ND = Not detected at or above 5 ug/L

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Zone 7 Water Agency is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

What's in Your Water?

The table at the right shows the average level and range of each detected regulated contaminant. Detected secondary standards, and additional parameters are also listed.

The following components may be of particular interest to our customers:

TURBIDITY is a measure of the cloudiness of the water. We are required to monitor it because it is a good indicator of the effectiveness of the filtration system for surface-water treatment. Note that turbidity does not measure air bubbles, only particles.

TOC (Total Organic Carbon) has no health effects. However, TOC contributes to the formation of disinfection byproducts. These byproducts include THMs (trihalomethanes) and HAAs (haloacetic acids). Drinking water containing these byproducts in excess of the MCL may lead to adverse health effects, including liver or kidney problems, nervous-system effects, and increased cancer risk. Regulatory TOCremoval requirements are applicable to conventional water-treatment plants only. Treatment operation is optimized for maximum TOC removal and Zone 7's THM and HAA levels are well below MCLs. Zone 7 TOC removal typically exceeds regulatory requirements.

NITRATE in drinking water at levels above 45 mg/L is a health risk for infants less than six months of age. Such nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness; symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, such as pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider.

Nitrate levels in Zone 7's surface water supplies are typically very low (less than 5 mg/L) as compared to groundwater, but both sources meet all standards.

HARDNESS is caused by naturally-occurring minerals such as calcium and magnesium. Hard water does not pose a health risk, and is not covered by state or federal drinking water regulations. Groundwater is typically harder than surface water, but it is just as safe.

SODIUM is an essential nutrient that is found naturally in drinking water. Zone 7 also adds sodium hypochlorite as part of its disinfection process and sodium hydroxide for corrosion control. Sodium is not regulated because sodium levels in drinking water are usually low and are not likely to cause adverse health effects—even for those watching their salt intake. However, Zone 7 monitors sodium levels because some consumers are concerned about their sodium levels and may be monitoring their diets.

REGULATED CONTAMINANTS WITH PRIMARY DRINKING WATER STANDARDS, established by the State of California Department of Public Health

					D	STRIBUT	ION SYSTEM								
CONTAMINANT	MCL	DLR (MRL)	PHG (MCLG) [MRDLG]												
	More than 5 % of monthly			Highest percentage of monthly positive samples											
Total coliform bacteria	samples are positive		(0)	1.5%			Units & Everyday Equivalents mg/L=Milligram per liter ug/L=Microgram per liter								
Total trihalomethanes (TTHMs), µg/L	80	1*	NA	Highest Locational Range of all samples Running Annual Average collected in 2013											
				51 31-65											
Haloacetic acids (five) (HAAs), ug/L	60	1*	NA		23		17 - 26		-	=Picocuries	•				
Chloramines as Chlorine, mg/L	Maximum Residual Disifectant Level (MRDL) = 4.0		[4]		ual Average (RAA) 2.2	Range of Mon	thly Average Chloramines	μ S/cm=Microsiemens per centimeter							
	Level (MRDL) $= 4.0$						PLY SOURCES								
CONTAMINANT					L VALLE ATMENT PLANT	PAT	ITERSON PASS TREATMENT PLANT	МОСНО М	/ELLFIELD**	STONERI	DGE WELL	HOPYARD	WELLFIELD	CHAIN OF LAK	ES WELLFIEI
	TT = 1 NTU Maximum		NA	Highest Level Found = 0.21 NTU Highest Level Found = 0.17 NTU		Not Applicable Not Applicable		Not Applicable		Not Applicable					
Turbidity	$TT = 95\% \text{ of}$ samples $\leq 0.3 \text{ NTU}$		NA			ples \leq 0.3 NTU = 100	Not Applicable		Not Applicable		Not Applicable		Not Applicable		
Total Organic Carbon (mg/L)	TT = Quarterly RAA Removal Ratio ≥ 1.0		NA	Lowest Quarte	rly RAA Ratio = 1.6	Lowest Qua	arterly RAA Ratio = 1.6	.6 Not Applicable		Not Applicable		Not Applicable		Not Applicable	
Inorganic Chemicals				Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
Barium (ug/L)	1000	100	2000	ND	ND	ND	ND	160	62 - 230	240	220 - 280	150	110 - 220	270	240 - 300
Arsenic (µg/L)	10	2	4	ND	ND	ND	ND	ND	ND - 2	ND	ND	ND	ND - 3	ND	ND
Chromium total (µg/L)	50	10	(100)	ND	ND	ND	ND	ND	ND	10	ND - 11	ND	ND	ND	ND - 10
Selenium (µg/L)	50	5	30	ND	ND	ND	ND	7	ND - 10	ND	ND	5	ND - 6	ND	ND
Fluoride (mg/L)	2	0.1	1	0.1	ND - 0.1	0.1	ND - 0.1	0.1	ND - 0.1	0.1	0.1	0.1	0.1 - 0.2	0.1	ND - 0.1
Nitrate (as NO3) (mg/L)	45	2	45	2	ND - 4	3	ND - 6	16	11 - 23	19	17 - 21	15	15 - 16	17	14 - 19
Radionuclides Uranium (pCi/L)	20	1	0.43	ND	ND	ND	ND	2	ND - 3	ND	ND - 1	3	1 - 4	ND	ND
	GULATED CONTAN	MINANT	S WITH SE		DRINKING WA	TER STAN	DARDS, establis	ned by the	State of Cal	ifornia De	partment o	f Public He	alth	1	
Odor (TON - Threshold Odor Number)	3	1		0	0 - 1	0	0 - 1	0	0	0	NA	0	0	0	0
Conductivity (µS/cm)	1600			514	384 - 679	552	402 - 684	1145	1007 - 1477	679	621 - 794	950	810 - 1041	763	657 - 844
Chloride (mg/L)	500			91	59 - 130	104	67 - 145	133	109 - 196	50	39 - 69	80	58 - 87	71	53 - 83
Sulfate (mg/L)	500	0.5		32	21 - 45	35	20 - 59	79	58 - 128	39	34 - 46	67	46 - 80	45	38 - 50
Total Dissolved Solids (mg/L)	1000			277	208 - 348	305	226 - 376	693	608 - 943	401	358 - 460	569	470 - 622	451	386 - 502
Turbidity (NTU)	5	(0.05)		NA	NA	NA	NA	ND	ND - 0.1	ND	ND	ND	ND - 0.06	0.2	0.05 - 0.
	Additional Para	ameters					alth or economic								
Alkalinity as calcium carbonate (mg/L)		400		75	61 - 92	75	61 - 85	342	295 - 428	238	224 - 261	326	275 - 353	250	226 - 27
Boron (µg/L)		100		150	110 - 200	170	100 - 270	830	280 - 1400	360	280 - 460	500	340 - 600	320	260 - 39
tal Hardness as calcium carbonate (mg/L)				101	82 - 121	103	84 - 136	455	385 - 592	269	238 - 327	386	351 - 414	337	284 - 37
Calcium (mg/L)				21	15 - 28	22	15 - 29	91	66 - 124	50	42 - 57	80	74 - 83	59	50 - 68
Magnesium (mg/L)				12	9 - 15	12	9 - 16	55	46 - 69	35	28 - 45	70	40 - 83	46	37 - 52
Potassium (mg/L)				2	2 - 3	3	2 - 3	2	2 - 3	2	2	2	2	1	1
Sodium (mg/L)				61	43-83	68	47 - 91	78	58 - 119	44	38 - 50	63	39 - 76	34	27 - 39
pH (Units)				8.2	7.9 - 8.5	8.2	7.9 - 8.7	7.4	7.2 - 7.7	7.8	7.6 - 7.8	7.5	7.4 - 7.6	7.5	7.4 - 7.7
Silica (mg/L)				9	6 - 14	11	8 - 15	25	21 - 28	25	24 - 26	25	24 - 28	24	24 - 26

* = TTHMs each component DLR is 1 ug/L. HAAs each component DLR is 1 ug/L except Monochloroacetic acid that has DLR of 2 ug/L. ** = Part of Mocho Wellfield groundwater gets treated by MGDP (Mocho Groundwater Demineralization Plant) before going into the distribution system. Abbreviations/Units: MCL = Maximum Contaminant Level, DLR = Detection Limit for Purposes of Reporting (CDPH established), MRL = Minimum Reporting Level, PHG = Public Health Goal, MCLG = Maximum Contaminant Level Goal, MRDLG = Maximum Residual Disinfectant Level Goal, NA = Not Applicable, RAA = Running Annual Average, TT = Treatment Technique, NTU = Nephelometric Turbidity Unit, ND = Monitored for but not detected at or above DLR or MRL. ND or value in range column indicates that more than one analysis was performed during the year.

WHERE DO CONTAMINANTS COME FROM?

The sources of drinking water (both tap and bottled water), include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and it can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

MICROBIAL CONTAMINANTS, such as viruses and bacteria, may come from wastewater-treatment plants, septic systems, agricultural-livestock operations, and wildlife.

INORGANIC CONTAMINANTS, such as salts and metals, can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

PESTICIDES AND HERBICIDES may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.

ORGANIC CHEMICAL CONTAMINANTS, including synthetic and volatile organic chemicals, are byproducts of industrial processes and petroleum production. They can also come from gas stations, urban stormwater runoff, and septic systems.

RADIOACTIVE CONTAMINANTS can be naturally occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the U.S. Environmental Protection Agency and the state Department of Public Health prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Regulations also establish limits for contaminants in bottled water that must provide the same protection for public health. More information is available on the EPA's website, *www.epa.gov/ safewater/*.

MAJOR SOURCES OF DETECTED CONTAMINANTS

Major sources of regulated contaminants detected in Zone 7 water supply are listed below:

TURBIDITY Soil runoff.

TOTAL ORGANIC CARBON Various natural and man-made sources.

ARSENIC Erosion of natural deposits; runoff from orchards; glass and electronics production wastes.

BARIUM Erosion of natural deposits; discharge of drilling wastes; and discharge from metal refineries.

CHROMIUM Erosion of natural deposits; discharge from steel and pulp mills and chrome plating.

SELENIUM Erosion of natural deposits; discharge from petroleum, glass, and metal refineries; discharge from mines and chemical manufacturers; and runoff from livestock lots (feed additive).

URANIUM Erosion of natural deposits.

FLUORIDE Erosion of natural deposits and discharge from fertilizer and aluminum factories.

NITRATE Leaching from septic tanks and sewage; runoff from fertilizer use; and erosion of natural deposits.

Zone 7 drinking water sources include local and imported surface water as well as groundwater. Protecting our source water is an important part of providing safe drinking water to the public.

A source water assessment, also known as a sanitary survey, is conducted on each drinking water source as required by the California Department of Public Health (CDPH). Surface water is most vulnerable to contaminants as it travels through the Sacramento and San Joaquin watersheds and the Delta. The latest sanitary survey for the Delta and the State Water Project (SWP) was completed in June 2012. It identified key vulnerabilities and sources of contaminants as wastewater-treatment plant discharges, urban runoff, recreational activities, and conversions of some agricultural Delta islands to wetlands. The sanitary survey includes an action plan to address these key vulnerabilities and sources of contaminants. In the past, the sanitary survey has been conducted every five years. Moving forward, the sanitary surveys will be produced on an annual basis and will focus on a narrower scope. Every five years these smaller annual surveys will be compiled into a complete survey and updated to reflect current conditions.

After leaving the Delta, water is transported to Zone 7 via the South Bay Aqueduct (SBA). SBA water quality may also be vulnerable to pollution from local cattle grazing, wildlife activities, and recreational activities in the watersheds of the Bethany and Del Valle reservoirs. Zone 7 is proactively participating in a number of activities to improve water supply reliability and water quality of the SBA.

Copies of any public outreach materials, source water assessment reports or sanitary surveys are available by calling Gurpal Deol at 925-447-0533.

Commitment to Water Quality

Control strategies for seasonal taste-and-odor control caused by algal growth in SBA water include periodic copper sulfate applications to source water by the Department of Water Resources and use of Powdered Activated Carbon at both conventional treatment plants. A more advanced and preferred taste-and-odor control method is ozonation at all three surface-water treatment plants. The project schedule will be developed based on funding availability.

The Mocho Groundwater Demineralization Plant went into operation in late summer 2009 to reduce the buildup of salts and minerals in our groundwater basin and reduce the hardness of groundwater delivered primarily to the western side of Zone 7's service area. In 2013, approximately 2,785 acre-feet (more than 0.9 billion gallons) of groundwater was demineralized and approximately 2,798 tons of salt was exported as brine out of the Valley.

Terms Used

MAXIMUM CONTAMINANT LEVEL (MCL)

The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the Public Health Goals or Maximum Contaminant Level Goals as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste and appearance of drinking water.

MAXIMUM RESIDUAL DISINFECTANT LEVEL (MRDL)

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MAXIMUM RESIDUAL DISINFECTANT LEVEL GOAL (MRDLG)

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

PUBLIC HEALTH GOAL (PHG)

The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency's Office of Environmental Health Hazard Assessment (OEHHA).

PRIMARY DRINKING WATER STANDARD (PDWS)

MCLs and MRDLs for contaminants that affect health, along with their monitoring and reporting requirements, and water-treatment requirements.

TREATMENT TECHNIQUE (TT)

A required process intended to reduce the level of a contaminant in drinking water.

Proposed State Regulation for Hexavalent Chromium (CrVI)

Chromium is a heavy metal that occurs throughout the environment. The trivalent form (CrIII) is a required nutrient and has very low toxicity. The hexavalent form (CrVI) is more toxic and has been known to cause cancer. CrVI is currently regulated under the 50 µg/L maximum contaminant level (MCL) for total chromium.

On April 15, 2014, The California Department of Public Health announced the final MCL for CrVI specific of 10 μ g/L. The CrVI MCL will become effective July 1, 2014.

CDPH estimated that over 300 drinking water sources in California would be affected at an estimated statewide implementation cost of approximately \$156 million per year. Zone 7 has several groundwater wells with naturally-occurring CrVI near the proposed MCL that might require treatment.

About Water Treatment

State Water Project water conveyed through the Delta, and then through the South Bay Aqueduct (SBA), makes up the bulk of our surface-water supplies. Zone 7 has three facilities for the treatment of surface water: the Patterson Pass Conventional, the Patterson Pass Ultrafiltration, and the Del Valle water treatment plants. Because of the Del Valle plant's physical location, its water supply source can be from the SBA, Del Valle Reservoir, or a blend of the two. The Patterson Pass plants receive water only from the SBA.

Zone 7 applies a multi-barrier approach to treat and remove pollutants from surface water, and the water is then disinfected using chloramination to minimize microbial risks. Groundwater is simply chloraminated to maintain a consistent residual disinfectant throughout the distribution system.

Educational Information

- Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the U.S. Environmental Protection Agency's (USEPA's) Safe Drinking Water Hotline (1-800-426-4791).
- Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Our Primary Water Sources:

Imported Surface Water

More than three-quarters of our water supply originates as Sierra Nevada snowmelt and is conveyed by the State Water Project via the Delta and the South Bay Aqueduct*.

Local Surface Water

This is comprised of local rain runoff stored in Del Valle Reservoir.

Local Groundwater

This supply is pumped by Zone 7 from the aquifer that underlies the Livermore-Amador Valley; water in the aquifer comes from local rainfall and from the State Water Project.

* In wet years, we store surplus State Water Project supplies in local and offsite groundwater basins for use when needed, and for reliability during droughts.



Zone 7 Water Agency 100 North Canyons Parkway Livermore, CA 94551 925.454.5000 www.zone7water.com

Este Informe Contiene Información Muy Importante Sobre Su Agua Potable. Tradúzcalo O Hable Con Alguien Que Lo Entienda Bien. (This Report Contains Important Information About Your Drinking Water. Translate it, or speak with someone who understands it.)